AUTHOR INDEX

Andersen, A. G. H.: 181
Berlyn, R. W.: 43
Chmura, M.: 85
Donnelly, P. I.: 71
Eirich, F. R.: 271
Ezekiel, F. D.: 43
Fenstermaker, C. A.: 125
Gillis, P. P.: 1
Graham, P. H.: 261
Grimminger, H.: 13
Hazelton, I. G.: 217
Kelley, F. N.: 229
Kondner, R. L.: 147
Lacey, R. M.: 99
Lohr, J. J.: 55
Lothrop, E. W. Jr.: 111
McAbee, E.: 85
McCarty, V.: 201
Ralston, R. H.: 71
Robinson, C. N.: 261
Saylak, D.: 247
Sharma, M. G.: 201
Smith, J. C.: 125
Victory, E. L.: 163

SUBJECT INDEX

Beryllium oxide, dynamic stress–strain behavior of, 181
Characterization, of polymeric materials, 261
Cohesive soil, stress–strain–time spectrum response of, 147
Compressibilities, dynamic, of polymeric materials, 201
Compression, dynamic stress–strain behavior of beryllium oxide in, 181
Design criteria, for simulating high strain rate service conditions, 43
Destructive ultimate loads, testing at high strain rates, 13
Dislocation dynamics, 1
Elastomers, stress–strain properties for, 247
Filled polymers, stress–strain properties for, 247
Flexure, dynamic stress–strain behavior of beryllium oxide in, 181
High speed testing techniques, characterization of polymeric materials by, 261
Impact properties, of materials on tensile machines, 71
Impulsive loading, dynamic response of simply supported beams under, 163
Polymeric materials, characterization of, 261
  strength of, 271
Pressure, superimposed, effect on tensile properties of composite solid propellant, 217
Rate, effect on tensile properties of composite solid propellant, 217
  of extension, stress–strain properties of tire cords as a function of, 111
Resin–reinforcement combinations, static and high rate tensile behavior of, 85
Response, of a cohesive soil, 147
  dynamic, of simply supported beams, 163
  at intermediate strain rates, 99
  microstructural, in solid propellants, 229
Rifle bullet impact, stress–strain properties of textile yarns subjected to, 125
Solid propellants, effect of rate and superimposed pressure on tensile properties of, 217
  microstructural response in, 229
  tensile failure mechanisms in, 229
Strain rates, effects, 1
  elastomers, 247
  filled polymers, 247
  high, and design criteria, 43
    strength of polymeric materials at, 271
    testing under destructive ultimate loads, at, 13
  intermediate, response at, 99
  unfilled polymers, 247
Strength, of polymeric materials, 271
Stress–strain properties, of beryllium oxide, 181
  for filled and unfilled polymers and elastomers, 247
  of textile yarns, 125
  of tire cords, 111
Stress–strain–time spectrum response, of a cohesive soil, 147
Temperature, elastomers, 247
  filled polymers, 247
  stress–strain properties of tire cords as a function of, 111
  unfilled polymers, 247
Tensile behavior of composite solid propellant, 217
  high rate, of resin–reinforcement combinations, 85
  static, of resin–reinforcement combinations, 85
Tensile failure mechanisms, in solid propellants, 229
Tensile machines, impact properties of materials on, 71
Textile yarns, stress–strain properties of, 125
Thermoplastics, time–temperature–strain rate equivalence for, 55
Time–temperature–strain rate equivalence, for engineering thermoplastics, 55
Tire cords, stress–strain properties of, 111
Unfilled polymers, stress–strain properties for, 247